



II2 G Exh IIC T6 Gb




FA 70 016 00






FA 70 016 01



**UIAA**

**Certifié par l'Union Internationale des Associations d'Alpinisme**  
 Certified by International Climbing and Mountaineering Federation  
**Certificado por la Unión Internacional de Asociaciones de Alpinismo**  
 Certificato dall'Unione Internazionale delle Associazioni Alpinistiche  
 Zertifiziert vom der Union Internationale des Associations d'Alpinisme



HS CODE
84835080
CARTON SIZE / PCS.
40 x 30 x 15 cm / 50
AET (UE) N°2777/10856-03/E02-01
<b>Satra Technology Europe Ltd., N° 2777,</b> Bracetown Business Park, Clonee, Dublin, D15YN2P, Ireland
MODULE D FI14/14003.01
<b>SGS Fimko Oy, N°0598</b> Takomotie 8, 00380 HELSINKI, Finland

REF.	FA 70 016 00   FA 70 016 01	
CE UK CA	EN 12278:2007	
MAT.	ALU	
MAT. 	ALU Ø 45 mm	INOX Ø 45 mm
BEARING TYPE	DRY BEARING   BALL BEARING	
MAT. 	PA PES Ø 9-16 mm	
MBS (kN) / WL (kN)	40 kN / 10 kN	
+	UIAA EN 80079-36:2016 EN 80079-37:2016	
	0.25 KG	0.44 KG

MAT. 	BEARING TYPE	DRY BEARING	BALL BEARING
<b>Matière et diamètre du réa</b> Material and diameter of sheave <b>Material y diámetro de la roldana</b> Materiale e diámetro della gola Material, Durchmesser der Seilscheibe	<b>Type de roulement</b> Bearing type <b>Tipo de rodamiento</b> Tipo di cuscinetto Lagertyp	<b>Roulement sur bague</b> Dry bearing <b>Rodamiento en anillo</b> Cuscinetto a secco Rollenlager	<b>Roulement à billes</b> Ball bearing <b>Rodamiento de bolas</b> Cuscinetto a sfera Kugellager
MAT. 	MBS (kN) / WL (kN)		
<b>Matière et diamètre de la corde à utiliser</b> Material and diameter of the rope to use <b>Material y diámetro de la cuerda que debe usarse</b> Materiale e diametro della corda ad utilizzare Material und Durchmesser des zu verwendenden Seils	<b>Résistance à la rupture (en kN) / Charge de travail (en kN)</b> Minimum Breaking Strength (in kN) / Working load (in kN) <b>Resistencia a la ruptura (en kN) / Carga de trabajo (en kN)</b> Resistenza alla rottura (in kN) / Carico di lavoro (in kN) Bruchfestigkeit (in kN) / Nutzlast (in kN)		